

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	52	(fail fail\$3 fault)with source adj node\$1 with (active work\$3 primary) adj (path link \$1 node\$1) with (back \$1up secondary passive standby protect \$3) adj (path link\$1 node\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 11:15
L8	6	(fail fail\$3 fault)with detect\$3 with notif\$7 with (primary active work\$3) adj path with (secondary alternate passive backup protect \$3) adj (path link\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 11:23
L9	8	detect\$3 with source adj (node\$1 switch\$1) with(fail fail\$3 fault) with (work\$3 primary active) adj (path link \$1) with (protect\$3 seconday standby alternate backup) adj (path link\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 11:27
L10	168	detect\$3 with(fail fail\$3 fault)with (work\$3 primary active) adj (path link\$1) with (protect\$3 seconday standby alternate backup) adj (path link \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 11:32
L11	0	detect\$3 with (fault fail \$3 fail) with primar adj path with secondary adj path with node\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 12:20
L12	4	detect\$3 with (fault fail \$3 fail) with primary adj path with secondary adj path with node\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 12:20

L13	17	detect\$3 with (fault fail\$3 fail) with primary adj path with secondary adj path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 12:21
L14	50	(fault fail\$3 fail) with primary adj path with secondary adj path with (node\$1 switch\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 12:23
L15	6	l14 and 1:N	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 12:39
L16	483987	metropolitan adj area adj transport adj network or MAN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 13:11
L17	241	L16 and (fault fail\$3) with detect\$3 with (node\$1 switch\$1) with (link\$1 path)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 13:11
L18	143	metropolitan adj area and (fault fail\$3) with detect\$3 with (node\$1 switch\$1) with (link\$1 path)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 13:13
L19	0	metropolitan adj area and source adj nodes with(fault fail\$3) with detect\$3 with (node\$1 switch\$1) with (link\$1 path)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 13:17
L20	6	l14 and 1:N and priority	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 13:32

S1	1907	protection adj path or alternate adj patch or back\$1up adj path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/05 16:28
S2	459548	S1 and metropoltain adj area adj transport adj network or MAN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/05 16:28
S3	127	(S1 and (metropolitan adj area adj transport adj network or MAN))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/05 16:29
S4	459562	metropolitan adj area adj transport adj network or MAN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/05 16:43
S5	6723	S4 and protection adj path or alternate adj path or back\$1up adj path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/05 16:43
S6	417	(S4 and (protection adj path or alternate adj path or back\$1up adj path))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/05 16:44
S7	216	S6 and link and failure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/05 16:44
S8	2	"20030048746"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/05 17:40

S9	1909	protection adj path or alternate adj patch or back\$1up adj path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 17:06
S10	127	(S9 and (metropolitan adj area adj transport adj network or MAN))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 17:06
S11	67	S10 and priority	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 17:06
S12	0	protection adj path near work\$3 adj path near priority	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 17:14
S13	1	((protection adj path) near (work\$3 adj path) near priority)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 17:14
S14	1909	protection adj path or alternate adj patch or back\$1up adj path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 09:26
S15	127	(S14 and (metropolitan adj area adj transport adj network or MAN))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 09:26
S16	17	S15 and data adj service\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 09:26

S17	797	BLSR	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 09:51
S18	100	S17 and working adj path and protection adj path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 09:52
S19	797	BLSR	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 11:29
S20	100	S19 and working adj path and protection adj path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 11:29
S21	0	S20 and OAM adj signal \$4 and MPLS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 11:29
S22	0	S20 and OAM adj signal \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 11:29
S23	0	link near fail\$5 near signal near OAM	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 11:31
S24	1909	protection adj path or alternate adj patch or back\$1up adj path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 13:03

S25	127	(S24 and (metropolitan adj area adj transport adj network or MAN))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 13:03
S26	9	S25 and fail and signal and OAM	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 13:04
S27	797	BLSR	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 13:06
S28	100	S27 and working adj path and protection adj path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 13:06
S29	5770	S28 and signal aand fail and oam	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 13:06
S30	4	S28 and signal and fail and oam	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 13:06
S31	1	S28 and load near balance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:04
S32	4	S28 and load and balance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:07

S33	114	work\$4 adj path and protect\$4 adj path and switch\$4 and load	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:10
S34	0	protection adj path near extra adj data adj services	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:23
S35	0	((protection adj path) near (extra adj data adj services))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:23
S36	1	((protection adj path) same (extra adj data adj services))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:24
S37	1	((protection adj path) with (extra adj data adj services))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:24
S38	4	((protection adj path) with (data adj services))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:24
S39	1	((protection adj path) near (data adj services))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:25
S40	5	((protection adj path) same (data adj services))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:25

S41	29	protection adj path adj data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:28
S42	0	protection adj path adj carrying adj data adj services	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:29
S43	30	load and balance and protection adj path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:32
S44	0	load and balance near protection adj path near working adj path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:33
S45	0	(load near balance near (protection adj path) near (working adj path))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:34
S46	0	(load near balance same (protection adj path) same (working adj path))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:34
S47	0	(load same balance same (protection adj path) same (working adj path))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:34
S48	11	(load and balance and (protection adj path) and (working adj path))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:34

S49	0	protection adj path adj used adj for adj extra adj data adj services	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:44
S50	0	protection adj path adj used adj for adj data adj services	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:44
S51	0	protection with path with used with for with data with services	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:45
S52	14	protection with path with data with services	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:45
S53	0	(data near processing near (working adj path) near (protection adj path))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:54
S54	11	(data same processing same (working adj path) same (protection adj path))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 14:56
S55	797	BLSR	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 17:11
S56	100	S55 and working adj path and protection adj path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 17:11

S57	6	S56 and 370/218.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 17:11
S58	8	S56 and 370/217.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 17:11
S59	1	S56 and 370/219.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 17:11
S60	15	S56 and 370/222.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 17:12
S61	7	S56 and 370/223.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 17:12
S62	10377	metropolitan adj area adj network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 10:28
S63	0	S62 and (work adj path with protection adj path) and fail\$3 near link\$1 near (switch\$2 node\$1 router\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 10:31
S64	0	S62 and (work adj path with protection adj path) and fail\$3 with link\$1 with (switch\$2 node\$1 router\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 10:32

S65	144	S62 and fail\$3 with link\$1 with (switch\$2 node\$1 router\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 10:32
S66	5	S65 and protection adj path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 10:33
S67	1	S62 and detect\$3 with source adj node with fail\$3 with link\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 10:52
S68	262	S62 and source adj node and destination adj node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 10:57
S69	3	S68 and (work\$3 adj path active adj path) and (protect\$3 adj path standby adj path)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 10:58
S70	0	detect\$3 with fail\$3 with link\$1 with (node\$1 switch\$2 router\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 11:17
S71	1557	detect\$3 with fail\$3 with link\$1 with (node\$1 switch\$2 router\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 11:17
S72	56	detect\$3 near fail\$3 near link\$1 near (node\$1 switch\$2 router\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 11:18

S73	1	S72 and metropolitan adj area adj network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 11:18
S74	2	work adj destination adj node and protection adj destination adj node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 13:04
S75	127	work\$3 with protect\$3 with node\$1 with link with fail\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 13:37
S76	4	work\$3 adj destination adj node\$1 and protect \$3 adj destination adj node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 14:54
S77	51	work\$3 with protect\$3 with destination with link\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 14:55
S78	10	work\$3 adj destination adj node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 16:13
S79	3	destination adj node\$ near (work\$3 active) near (protect\$3 standby)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 16:15
S80	144	destination adj node\$ with (work\$3 active) with (protect\$3 standby)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 16:15

S81	4585	fail\$3 with (work\$3 active)with (protect\$3 standby)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 16:22
S82	60	fail\$3 near(work\$3 active)near (protect\$3 standby)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/06 16:23
S83	8	source adj node near detect\$3 near fail\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 16:32
S84	0	(work\$3 active)near (protect\$3 standby) near fail\$3 near source adj node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 16:36
S85	30	(work\$3 active)with (protect\$3 standby) with fail\$3 with source adj node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 16:36
S86	4587	(work\$3 active)with (protect\$3 standby) with fail\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 16:40
S87	207	(work\$3 active)near (protect\$3 standby) near fail\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 16:41
S88	0	(work\$3 active)near (protect\$3 standby) near fail\$3 near detect \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 16:41

S89	472157	metropolitan adj area adj transport adj network or MAN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/09 08:20
S90	746	S89 and (protect\$3 alternate back\$1up passive) adj (path link rout\$3) and (work\$3 active) and (fail\$3 fault)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/09 08:20
S91	51	S90 and source adj node\$1 and destination adj node\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/09 08:21
S92	1419	(fail\$3 fail fault) with (protect\$3 back\$up primary alternate passive)adj (path link \$1 route\$1) with (work \$3 primary actice) adj (path link\$1 route\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 16:46
S93	0	(fail\$3 fail fault) near (protect\$3 back\$up primary alternate passive)adj (path link \$1 route\$1) near (work \$3 primary actice) adj (path link\$1 route\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 16:46
S94	2	(fail\$3 fail fault) with (protect\$3 back\$up primary alternate passive)adj (path link \$1 route\$1) with (work \$3 primary actice) adj (path link\$1 route\$1) and metropolitan adj area adj transport adj network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 16:47
S95	964	(fail\$3 fail fault) with (protect\$3 back\$up secondary alternate passive)adj (path link \$1 route\$1) with (work \$3 primary actice) adj (path link\$1 route\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 16:49

S96	483987	metropolitan adj area adj transport adj network or MAN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 08:19
S97	185	S96 and (work\$3 active primary) adj (node\$1 switch\$2) and (stand \$1by passive secondary protect\$3) adj (node\$1 switch\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 08:19
S98	0	work\$3 adj node\$1 and protect\$3 adj node\$1 and metropolitan adj area adj network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 08:24
S99	15	work\$3 adj node\$1 and protect\$3 adj node\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 08:24
S100	107	(stand\$1by back\$1up alternate passive)near2 destination adj (node \$1 switch\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 09:07
S101	0	metropolitain adj area adj transport adj network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 14:59
S102	16	metropolitan adj area adj transport adj network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 14:59
S103	75	(stand\$1by back\$1up alternate passive)near2 destination adj (node \$1 switch\$1)and (fail fail\$3 fault)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 15:00

S104	1	S103 and MAN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 15:29
------	---	--------------	---	----	-----	---------------------

1/ 9/ 2010 3:14:05 PM

C:\ Documents and Settings\ manwar\ My Documents\ EAST\ Workspaces\ 10591207.wsp